



Nebraska Wheat Varieties

100 Centennial Mall North, Room 298, Lincoln, Nebraska 68508
Media Contact: Dean C. Groskurth (800) 582-6443



Released March 2016

SY Wolf Emerges as 2016's Top Winter Wheat Variety

SY Wolf was the most popular winter wheat variety planted for the 2016 Nebraska winter wheat crop, according to USDA's National Agricultural Statistics Service. Released in 2012, SY Wolf has since grown from a negligible share to the largest variety by planted acreage. Winter Hawk jumped from eighth in 2015 to take second place, while 2015's most popular variety, Settler CL, fell to third.

SY Wolf accounted for 7.4 percent of the acreage, while Winter Hawk nearly doubled its 2015 share to 7.0 percent. Settler CL fell 2.6 percentage points to 6.9 percent. Brawl CL Plus and Overland retained their positions in fourth and fifth place, respectively.


Winter Hawk was most popular in Southwestern Nebraska, while Settler CL was the top variety in the Northeast district. Overland, the most popular variety statewide in 2012, took the largest share in the North, Central, South, and East districts. SY Wolf overtook Everest as the top variety in the Southeast district. Of the

total hard white winter wheat acreage for 2016, the most common variety planted was Antero, which more than tripled its 2015 share.

Supporting funds for this report, "Nebraska Wheat Varieties", were provided by the Nebraska Wheat Board from wheat producer check off funds.

This report was derived from 1,058 voluntary reports provided by Nebraska wheat producers who responded to the 2016 Nebraska Wheat Varieties Survey. This summary includes reports representing nearly twenty five (25) percent of the state's total planted acreage estimate.

Top Five Wheat Varieties in Nebraska, by District, 2016 Crop Year
Percent of Seeded Acreage



D = Withheld to avoid disclosing data for individual operations.

Distribution of Nebraska Winter Wheat Varieties, by Crop Year, 2005 - 2016

| Variety | Seeded Acreage by Crop Year | | | | | | | | | |
|---------------------|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------------------|-------------------|
| | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2015 ¹ | 2016 ³ |
| | Thousand Acres | | | | | | | | | |
| SY Wolf | -- | -- | -- | -- | -- | -- | -- | 2 | 83 | 94 |
| Winter Hawk | -- | -- | -- | -- | -- | -- | 20 | 41 | 59 | 90 |
| Settler CL | -- | -- | -- | -- | -- | -- | 2 | 64 | 141 | 89 |
| Brawl CL Plus | -- | -- | -- | -- | -- | -- | -- | -- | 78 | 64 |
| Overland | -- | -- | -- | 2 | 57 | 90 | 167 | 174 | 63 | 63 |
| Byrd | -- | -- | -- | -- | -- | -- | -- | -- | 60 | 58 |
| TAM 111 | 2 | 22 | 33 | 56 | 110 | 118 | 126 | 175 | 90 | 55 |
| Buckskin | 68 | 91 | 72 | 59 | 56 | 73 | 91 | 64 | 24 | 54 |
| Robidoux | -- | -- | -- | -- | -- | -- | -- | -- | 61 | 50 |
| Camelot | -- | -- | -- | -- | -- | -- | 17 | 32 | 53 | 48 |
| Pronghorn | 210 | 182 | 250 | 186 | 206 | 220 | 161 | 132 | 57 | 42 |
| Antero ⁴ | -- | -- | -- | -- | -- | -- | -- | -- | 14 | 40 |
| Wesley | 102 | 104 | 148 | 135 | 81 | 65 | 65 | 27 | 45 | 37 |
| Cowboy | -- | -- | -- | -- | -- | -- | -- | -- | 15 | 37 |
| Goodstreak | 31 | 67 | 74 | 89 | 85 | 105 | 68 | 70 | 58 | 33 |
| Panhandle | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 18 |
| Hatcher | -- | -- | -- | -- | 21 | 25 | 26 | 30 | 14 | 15 |
| Denali | -- | -- | -- | -- | -- | -- | -- | -- | 11 | 14 |
| Snowmass | -- | -- | -- | -- | -- | -- | -- | -- | 3 | 13 |
| Blends | -- | -- | -- | -- | -- | -- | -- | -- | 21 | 30 |
| Other | 1,439 | 1,334 | 1,473 | 1,225 | 1,084 | 904 | 809 | 561 | 540 | 336 |
| Total Planted | 1,850 | 1,800 | 2,050 | 1,750 | 1,700 | 1,600 | 1,550 | 1,370 | 1,490 | 1,280 |

¹Revised

²Less than one percent, included in other

³Preliminary estimate subject to revision

⁴Hard white winter variety

Distribution of Nebraska Winter Wheat Varieties, by District, 2016 Crop Year

| Variety | Agricultural Statistics District | | | | | | | | State |
|---------------------|----------------------------------|------|------|------|------|------|------|------|-------|
| | NW | N | NE | C | E | SW | S | SE | |
| | Percent of Seeded Acreage | | | | | | | | |
| SY Wolf | 7.4 | D | 23.5 | 12.8 | 3.8 | 6.5 | 12.3 | 25.3 | 7.4 |
| Winter Hawk | 1.4 | -- | -- | 13.6 | -- | 17.5 | 6.0 | -- | 7.0 |
| Settler CL | 10.9 | -- | -- | -- | 11.6 | 0.6 | -- | -- | 6.9 |
| Brawl CL Plus | 6.9 | D | -- | -- | -- | 2.4 | -- | -- | 5.0 |
| Overland | 4.7 | 46.2 | 8.0 | 36.1 | 20.4 | 3.6 | 18.0 | 14.2 | 4.9 |
| Byrd | 2.7 | -- | -- | -- | -- | 8.2 | 2.0 | -- | 4.5 |
| TAM 111 | 2.3 | -- | -- | 2.0 | -- | 7.4 | 10.4 | -- | 4.3 |
| Buckskin | 6.7 | -- | -- | -- | -- | 0.3 | -- | -- | 4.2 |
| Robidoux | 2.3 | D | -- | -- | 5.5 | 6.8 | 4.4 | -- | 3.9 |
| Camelot | 5.7 | -- | -- | -- | -- | 0.6 | -- | -- | 3.7 |
| Pronghorn | 5.3 | -- | -- | -- | -- | D | -- | -- | 3.3 |
| Antero ⁴ | D | -- | -- | -- | -- | 8.9 | -- | -- | 3.2 |
| Wesley | 4.7 | D | D | D | 2.8 | D | -- | -- | 2.9 |
| Cowboy | 4.1 | -- | D | -- | -- | D | -- | -- | 2.9 |
| Goodstreak | 4.2 | -- | -- | -- | -- | -- | -- | -- | 2.6 |
| Panhandle | 2.2 | -- | -- | -- | -- | D | -- | -- | 1.4 |
| Hatcher | 1.4 | -- | -- | -- | -- | D | -- | -- | 1.2 |
| Denali | 0.8 | -- | -- | -- | -- | 1.7 | 1.0 | -- | 1.1 |
| Snowmass | 1.3 | -- | -- | -- | D | 0.7 | -- | -- | 1.0 |
| Blends | 1.0 | -- | D | -- | -- | 4.6 | 4.2 | 5.0 | 2.4 |
| Other | 24.0 | 53.8 | 68.5 | 35.5 | 55.9 | 30.2 | 41.7 | 55.5 | 26.2 |

⁴Hard white winter variety

D = Withheld to avoid disclosing data for individual operations, data is included in other.


Hard White Winter Wheat, Percent of Planted Acreage, Nebraska, 2011-2016

| Year | 2011 | 2012 | 2013 ¹ | 2014 ¹ | 2015 ¹ | 2016 ² |
|---------------------|------|------|-------------------|-------------------|-------------------|-------------------|
| All White Varieties | 0.9 | 0.8 | 0.9 | 0.8 | 2.9 | 5.1 |

¹ Based on administrative data

² Preliminary estimate is subject to revision

Top Nebraska Wheat Varieties, 2015 - 2016 Crop Year



Note: Historical variety reports for earlier years can be found on the web at: http://www.nass.usda.gov/Statistics_by_State/Nebraska/Publications/Crop_Variety_Reports/index.php

Find agricultural statistics for your county, State, and the Nation at www.nass.usda.gov

NASS provides accurate, timely, useful and objective statistics in service to U.S. agriculture. The Agency invites you to express your thoughts and provide occasional feedback on our products and services by joining a data user community. To join, sign in at <http://usda.mannlib.cornell.edu/subscriptions> and look for “NASS Data User Community.”