
2022 Corn Fungicide Trials

Tamra Jackson-Ziems
Extension Plant Pathologist

Talon Mues and Brad Tharnish Technical Support





2022 Disease

Other common foliar diseases were Bacterial Leaf Streak, Southern Rust, Northern Corn Leaf Blight.

The arrival and spread of Tar Spot was also discovered in some field trials in eastern Nebraska.

These diseases were found at low severities throughout the trials and data was not reported.



2022 Environmental Conditions

This year much of Nebraska experienced a harsh drought. Temperatures for the 2022 growing season were near normal compared to previous years.

On June 7th, the South Central Agricultural Laboratory experienced a hail event. Corn was staged at V5-6. Estimated losses due to this hail event

were little.









2022 Fungicide Comparison – Trial 1

- South Central Ag Lab (Harvard, NE)
 - Planted April 26
 - Fungicide Application At planting and July 21 (R1)
 - Evaluated Aug 9 (R2), Aug 22 (R4), Sep 17 (R5)
 - Harvested Oct 18
 - Hybrid DKC 60-87
 - *GLS tolerance: 5 out of 9
 - Plot Size 400 ft² (4 rows x 40')
 - Application Volume 20 gpa
 - Trial Design Randomized Complete Block
 - Replications 6
 - ANOVA was used along with the Fisher's protected LSD with P ≤ 0.10 for statistical analysis using ARM
 - Major Disease: Gray Leaf Spot
 - No Tar pot present





Hail at V5/6
Applications at planting (2x2) and R1
AUDPC = Disease severity estimated at 9 Aug (R2), 22 Aug (R4), 17 Sep (R5)




Fungicide class(es)


Corn Disease Working Group Foliar Trial – Trial 2

- South Central Ag Lab (Harvard, NE)
 - Planted May 10
 - Fungicide Application July 21 (R1) and Aug 9 (R3)
 - Evaluated Aug 15 (R2), Aug 31 (R4), Sep 15 (R5)
 - Harvested Oct 19
 - Hybrid NK1444-3111
 - GLS tolerance: 6 out of 9
 - Plot Size 400 ft² (4 rows x 40')
 - Application Volume 20 gpa
 - Trial Design Randomized Complete Block
 - Replications 6
 - ANOVA was used along with the Fisher's protected LSD with $P \le 0.10$ for statistical analysis using ARM
 - Major Disease: Gray Leaf Spot
 - No Tar Spot present





Fungicide Timing/Classes





Fungicide class(es)

Corn Disease Working Group 2x2 Trial – Trial 3

- South Central Ag Lab (Harvard, NE)
 - Planted 26 April
 - Fungicide Application 21 July (R1)
 - Evaluated 11 Aug (R2), 22 Aug (R4), 19 Sep (R5)
 - Harvested 18 Oct
 - Hybrid DKC 60-87
 - *GLS tolerance: 5 out of 9
 - Plot Size 400 ft² (4 rows x 40')
 - Application Volume 20 gpa
 - Trial Design Randomized Complete Block
 - Replications 6
 - ANOVA was used along with the Fisher's protected LSD with $P \le 0.10$ for statistical analysis using ARM
 - Major Disease: Gray Leaf Spot
 - No Tar Spot present







Hail at V5/6 Harvested – Oct 18 Yield – moisture adjusted to 15.5%

Fungicide class(es)

Acknowledgments

- Chikoti Mukuma, Graduate Student
- Chris Termunde, Graduate Student
- UNL South Central Ag Lab Staff
- Undergraduate workers





Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska-Lincoln cooperating with the Counties and the United States Department of Agriculture.

University of Nebraska-Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska-Lincoln and the United States Department of Agriculture.