

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	Matur	
			Accum GDD	week	3days	day	3days				week
ALLIANCE NORTH	Corn	4 22	114.	0.02	0.02	0.02	0.02	0.02	2leaves	0.5	2450.
ALLIANCE NORTH	Corn	4 29	60.	0.02	0.02	0.02	0.02	0.02	2leaves	0.5	2450.
ALLIANCE NORTH	Corn	5 6	9.	0.00	0.01	0.02	0.02	0.02	2leaves	0.5	2450.
ALLIANCE NORTH	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
ALLIANCE NORTH	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
ALLIANCE NORTH	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
CONCORD (NE)	Corn	4 22	112.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
CONCORD (NE)	Corn	4 29	44.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 6	12.	0.00	0.01	0.03	0.03	0.03	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
ELGIN	Corn	4 22	133.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
ELGIN	Corn	4 29	51.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
ELGIN	Corn	5 6	12.	0.00	0.01	0.03	0.03	0.03	2leaves	0.5	2600.
ELGIN	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
ELGIN	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
ELGIN	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
CEDAR POINT	Corn	4 22	141.	0.03	0.03	0.02	0.02	0.03	2leaves	0.5	2450.
CEDAR POINT	Corn	4 29	68.	0.03	0.03	0.02	0.02	0.03	2leaves	0.5	2450.
CEDAR POINT	Corn	5 6	12.	0.00	0.01	0.02	0.02	0.03	2leaves	0.5	2450.
CEDAR POINT	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
CEDAR POINT	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
CEDAR POINT	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
HOLDREGE	Corn	4 22	158.	0.03	0.03	0.03	0.03	0.03	2leaves	0.5	2700.
HOLDREGE	Corn	4 29	72.	0.03	0.03	0.03	0.03	0.03	2leaves	0.5	2700.
HOLDREGE	Corn	5 6	15.	0.00	0.01	0.03	0.03	0.03	2leaves	0.5	2700.
HOLDREGE	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
HOLDREGE	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
HOLDREGE	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
MCCOOK	Corn	4 29	76.	0.03	0.03	0.02	0.02	0.03	2leaves	0.5	2500.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @		
			Accum GDD	week	3days	day	3days			week	---Descrip--
MCCOOK	Corn	5 6	14.	0.00	0.01	0.02	0.02	0.03	2leaves	0.5	2500.
MCCOOK	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
MCCOOK	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
MCCOOK	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
MEAD	Corn	4 22	141.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2650.
MEAD	Corn	4 29	67.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2650.
MEAD	Corn	5 6	17.	0.00	0.01	0.03	0.03	0.03	2leaves	0.5	2650.
MEAD	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2650.
MEAD	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2650.
MEAD	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2650.
MONROE	Corn	4 22	145.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
MONROE	Corn	4 29	60.	0.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
MONROE	Corn	5 6	16.	0.00	0.01	0.03	0.03	0.03	2leaves	0.5	2600.
MONROE	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
MONROE	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
MONROE	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
DICKENS	Corn	4 22	140.	0.03	0.02	0.02	0.02	0.02	2leaves	0.5	2500.
DICKENS	Corn	4 29	61.	0.03	0.02	0.02	0.02	0.02	2leaves	0.5	2500.
DICKENS	Corn	5 6	12.	0.00	0.01	0.02	0.02	0.02	2leaves	0.5	2500.
DICKENS	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
DICKENS	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
DICKENS	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
ONEILL	Corn	4 22	120.	0.02	0.02	0.02	0.02	0.02	2leaves	0.5	2600.
ONEILL	Corn	4 29	46.	0.02	0.02	0.02	0.02	0.02	2leaves	0.5	2600.
ONEILL	Corn	5 6	11.	0.00	0.01	0.02	0.02	0.02	2leaves	0.5	2600.
ONEILL	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
ONEILL	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
ONEILL	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
SCOTTSBUFF	Corn	4 22	136.	0.03	0.02	0.02	0.02	0.03	2leaves	0.5	2450.
SCOTTSBUFF	Corn	4 29	74.	0.03	0.02	0.02	0.02	0.03	2leaves	0.5	2450.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week	3days	day	3days			week
SCOTTSBLUFF	Corn	6 6	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
SCOTTSBLUFF	Corn	5 13	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
SCOTTSBLUFF	Corn	5 20	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
SCOTTSBLUFF	Corn	6 27	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2450.
SIDNEY	Corn	4 22	125.03	0.03	0.03	0.03	0.03	2leaves	0.5	2400.
SIDNEY	Corn	4 29	69.03	0.03	0.03	0.03	0.03	2leaves	0.5	2400.
SIDNEY	Corn	5 6	12.00	0.01	0.03	0.03	0.03	2leaves	0.5	2400.
SIDNEY	Corn	5 13	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2400.
SIDNEY	Corn	5 20	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2400.
SIDNEY	Corn	5 27	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2400.
WESTPOINT	Corn	4 22	127.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
WESTPOINT	Corn	4 29	53.02	0.03	0.03	0.03	0.03	2leaves	0.5	2600.
WESTPOINT	Corn	5 6	14.00	0.01	0.03	0.03	0.03	2leaves	0.5	2600.
WESTPOINT	Corn	5 13	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
WESTPOINT	Corn	5 20	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
WESTPOINT	Corn	5 27	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2600.
CHAMPION	Corn	4 22	157.03	0.03	0.03	0.03	0.03	2leaves	0.5	2500.
CHAMPION	Corn	4 29	77.03	0.03	0.03	0.03	0.03	2leaves	0.5	2500.
CHAMPION	Corn	5 6	14.00	0.01	0.03	0.03	0.03	2leaves	0.5	2500.
CHAMPION	Corn	5 13	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
CHAMPION	Corn	5 20	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
CHAMPION	Corn	5 27	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2500.
BEATRICE	Corn	4 22	167.03	0.04	0.04	0.03	0.03	2leaves	0.5	3000.
BEATRICE	Corn	4 29	84.03	0.04	0.04	0.03	0.03	2leaves	0.5	3000.
BEATRICE	Corn	5 6	28.01	0.01	0.04	0.03	0.03	2leaves	0.5	3000.
BEATRICE	Corn	5 13	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	3000.
BEATRICE	Corn	5 20	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	3000.
BEATRICE	Corn	5 27	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	3000.
GRANDISLAND	Corn	4 22	148.03	0.03	0.03	0.03	0.03	2leaves	0.5	2700.
GRANDISLAND	Corn	4 29	67.03	0.03	0.03	0.03	0.03	2leaves	0.5	2700.
GRANDISLAND	Corn	5 6	17.00	0.01	0.03	0.03	0.03	2leaves	0.5	2700.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	Matur	
			Accum GDD	week ----inches	3days per	day day-----	3days day-----				week -----
GRANDISLAND	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
GRANDISLAND	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
GRANDISLAND	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
NEBRASKA CIT	Corn	4 22	144.	0.03	0.04	0.04	0.03	0.03	2leaves	0.5	2700.
NEBRASKA CIT	Corn	4 29	69.	0.03	0.04	0.04	0.03	0.03	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 6	20.	0.01	0.01	0.04	0.03	0.03	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
ORD	Corn	4 22	136.	0.02	0.02	0.02	0.02	0.02	2leaves	0.5	2650.
ORD	Corn	4 29	57.	0.02	0.02	0.02	0.02	0.02	2leaves	0.5	2650.
ORD	Corn	5 6	12.	0.00	0.01	0.02	0.02	0.02	2leaves	0.5	2650.
ORD	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2650.
ORD	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2650.
ORD	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2650.
REDCLOUD	Corn	4 22	158.	0.03	0.03	0.03	0.03	0.03	2leaves	0.5	2700.
REDCLOUD	Corn	4 29	76.	0.03	0.03	0.03	0.03	0.03	2leaves	0.5	2700.
REDCLOUD	Corn	5 6	18.	0.00	0.01	0.03	0.03	0.03	2leaves	0.5	2700.
REDCLOUD	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
REDCLOUD	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
REDCLOUD	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2700.
YORK	Corn	4 22	158.	0.02	0.03	0.03	0.03	0.02	2leaves	0.5	2720.
YORK	Corn	4 29	71.	0.02	0.03	0.03	0.03	0.02	2leaves	0.5	2720.
YORK	Corn	5 6	18.	0.00	0.01	0.03	0.03	0.02	2leaves	0.5	2720.
YORK	Corn	5 13	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2720.
YORK	Corn	5 20	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2720.
YORK	Corn	5 27	0.	0.00	0.00	0.00	0.00	0.00	2leaves	0.5	2720.
ALLIANCE NORTH	Corn	4 22	114.	111.	0.00	258	1.5	2leaves	0.5	2450.	
ALLIANCE NORTH	Corn	4 29	60.	64.	0.00	263	1.2	2leaves	0.5	2450.	
ALLIANCE NORTH	Corn	5 6	9.	9.	0.00	267	1.0	2leaves	0.5	2450.	
ALLIANCE NORTH	Corn	5 13	0.	0.	0.00	***	1.0	2leaves	0.5	2450.	

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	---Descrip--	Matur
			Accum GDD	week ----inches	3days per	day day-----				
ALLIANCE NORTH	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2450.
ALLIANCE NORTH	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2450.
CONCORD (NE)	Corn	4 22	112.	122.	0.00	251	1.5	2leaves	0.5	2600.
CONCORD (NE)	Corn	4 29	44.	70.	-0.01	255	1.2	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 6	12.	9.	0.00	257	1.1	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2600.
CONCORD (NE)	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2600.
ELGIN	Corn	4 22	133.	121.	0.00	253	1.6	2leaves	0.5	2600.
ELGIN	Corn	4 29	51.	69.	-0.01	259	1.2	2leaves	0.5	2600.
ELGIN	Corn	5 6	12.	9.	0.00	262	1.0	2leaves	0.5	2600.
ELGIN	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2600.
ELGIN	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2600.
ELGIN	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2600.
CEDAR POINT	Corn	4 22	141.	120.	0.01	249	1.6	2leaves	0.5	2450.
CEDAR POINT	Corn	4 29	68.	69.	0.00	254	1.3	2leaves	0.5	2450.
CEDAR POINT	Corn	5 6	12.	9.	0.00	258	1.1	2leaves	0.5	2450.
CEDAR POINT	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2450.
CEDAR POINT	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2450.
CEDAR POINT	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2450.
HOLDREGE	Corn	4 22	158.	131.	0.01	252	1.7	2leaves	0.5	2700.
HOLDREGE	Corn	4 29	72.	74.	0.00	257	1.3	2leaves	0.5	2700.
HOLDREGE	Corn	5 6	15.	10.	0.00	261	1.1	2leaves	0.5	2700.
HOLDREGE	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
HOLDREGE	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
HOLDREGE	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
MCCOOK	Corn	4 22	161.	128.	0.01	247	1.7	2leaves	0.5	2500.
MCCOOK	Corn	4 29	76.	72.	0.00	251	1.3	2leaves	0.5	2500.
MCCOOK	Corn	5 6	14.	10.	0.00	255	1.1	2leaves	0.5	2500.
MCCOOK	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2500.
MCCOOK	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2500.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----			---Descrip--
MCCOOK	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2500.
MEAD	Corn	4 22	141.	133.	0.00	244	1.6	2leaves 0.5	2650.
MEAD	Corn	4 29	67.	76.	0.00	248	1.3	2leaves 0.5	2650.
MEAD	Corn	5 6	17.	10.	0.00	250	1.1	2leaves 0.5	2650.
MEAD	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2650.
MEAD	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2650.
MEAD	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2650.
MONROE	Corn	4 22	145.	127.	0.01	246	1.6	2leaves 0.5	2600.
MONROE	Corn	4 29	60.	72.	0.00	250	1.2	2leaves 0.5	2600.
MONROE	Corn	5 6	16.	10.	0.00	253	1.1	2leaves 0.5	2600.
MONROE	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2600.
MONROE	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2600.
MONROE	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2600.
DICKENS	Corn	4 22	140.	124.	0.01	249	1.6	2leaves 0.5	2500.
DICKENS	Corn	4 29	61.	71.	0.00	254	1.3	2leaves 0.5	2500.
DICKENS	Corn	5 6	12.	9.	0.00	257	1.0	2leaves 0.5	2500.
DICKENS	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2500.
DICKENS	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2500.
DICKENS	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2500.
ONEILL	Corn	4 22	120.	120.	0.00	257	1.5	2leaves 0.5	2600.
ONEILL	Corn	4 29	46.	69.	-0.01	263	1.2	2leaves 0.5	2600.
ONEILL	Corn	5 6	11.	9.	0.00	265	1.0	2leaves 0.5	2600.
ONEILL	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2600.
ONEILL	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2600.
ONEILL	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2600.
SCOTTSBLUFF	Corn	4 22	136.	111.	0.01	256	1.6	2leaves 0.5	2450.
SCOTTSBLUFF	Corn	4 29	74.	64.	0.00	261	1.3	2leaves 0.5	2450.
SCOTTSBLUFF	Corn	6 6	0.	0.	0.00	****	1.0	2leaves 0.5	2450.
SCOTTSBLUFF	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2450.
SCOTTSBLUFF	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2450.
SCOTTSBLUFF	Corn	6 27	0.	0.	0.00	****	1.0	2leaves 0.5	2450.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----			--Future--		---Stage----	GDD @	Matur
			Accum GDD	week inches	3days per	day day	3days week			
SIDNEY	Corn	4 22	125.	114.	0.00	252	1.5	2leaves 0.5	2400.	
SIDNEY	Corn	4 29	69.	66.	0.00	255	1.3	2leaves 0.5	2400.	
SIDNEY	Corn	5 6	12.	9.	0.00	260	1.0	2leaves 0.5	2400.	
SIDNEY	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2400.	
SIDNEY	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2400.	
SIDNEY	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2400.	
WESTPOINT	Corn	4 22	127.	131.	0.00	244	1.5	2leaves 0.5	2600.	
WESTPOINT	Corn	4 29	53.	75.	-0.01	247	1.2	2leaves 0.5	2600.	
WESTPOINT	Corn	5 6	14.	10.	0.00	249	1.1	2leaves 0.5	2600.	
WESTPOINT	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2600.	
WESTPOINT	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2600.	
WESTPOINT	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2600.	
CHAMPION	Corn	4 22	157.	128.	0.01	248	1.7	2leaves 0.5	2500.	
CHAMPION	Corn	4 29	77.	72.	0.00	252	1.3	2leaves 0.5	2500.	
CHAMPION	Corn	5 6	14.	10.	0.00	256	1.1	2leaves 0.5	2500.	
CHAMPION	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2500.	
CHAMPION	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2500.	
CHAMPION	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2500.	
BEATRICE	Corn	4 22	167.	140.	0.01	257	1.7	2leaves 0.5	3000.	
BEATRICE	Corn	4 29	84.	79.	0.00	262	1.4	2leaves 0.5	3000.	
BEATRICE	Corn	5 6	28.	10.	0.01	266	1.1	2leaves 0.5	3000.	
BEATRICE	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	3000.	
BEATRICE	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	3000.	
BEATRICE	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	3000.	
GRANDISLAND	Corn	4 22	148.	127.	0.01	253	1.6	2leaves 0.5	2700.	
GRANDISLAND	Corn	4 29	67.	72.	0.00	259	1.3	2leaves 0.5	2700.	
GRANDISLAND	Corn	5 6	17.	9.	0.00	262	1.1	2leaves 0.5	2700.	
GRANDISLAND	Corn	5 13	0.	0.	0.00	****	1.0	2leaves 0.5	2700.	
GRANDISLAND	Corn	5 20	0.	0.	0.00	****	1.0	2leaves 0.5	2700.	
GRANDISLAND	Corn	5 27	0.	0.	0.00	****	1.0	2leaves 0.5	2700.	

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days day-----			week ----
NEBRASKA CIT	Corn	4 22	144.	138.	0.00	243	1.6	2leaves	0.5	2700.
NEBRASKA CIT	Corn	4 29	69.	78.	0.00	247	1.3	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 6	20.	10.	0.00	249	1.1	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
NEBRASKA CIT	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
ORD	Corn	4 22	136.	125.	0.00	253	1.6	2leaves	0.5	2650.
ORD	Corn	4 29	57.	71.	-0.01	259	1.2	2leaves	0.5	2650.
ORD	Corn	5 6	12.	9.	0.00	262	1.0	2leaves	0.5	2650.
ORD	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2650.
ORD	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2650.
ORD	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2650.
REDCLOUD	Corn	4 22	158.	132.	0.01	249	1.7	2leaves	0.5	2700.
REDCLOUD	Corn	4 29	76.	74.	0.00	253	1.3	2leaves	0.5	2700.
REDCLOUD	Corn	5 6	18.	10.	0.00	257	1.1	2leaves	0.5	2700.
REDCLOUD	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
REDCLOUD	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
REDCLOUD	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2700.
YORK	Corn	4 22	158.	133.	0.01	248	1.7	2leaves	0.5	2720.
YORK	Corn	4 29	71.	75.	0.00	253	1.3	2leaves	0.5	2720.
YORK	Corn	5 6	18.	10.	0.00	256	1.1	2leaves	0.5	2720.
YORK	Corn	5 13	0.	0.	0.00	****	1.0	2leaves	0.5	2720.
YORK	Corn	5 20	0.	0.	0.00	****	1.0	2leaves	0.5	2720.
YORK	Corn	5 27	0.	0.	0.00	****	1.0	2leaves	0.5	2720.
ALLIANCE NORTH	Wheat	2 22	566.	0.26	0.24	0.23	0.25	0.26	Jointing	1840.
ALLIANCE NORTH	Wheat	3 1	566.	0.26	0.24	0.23	0.25	0.26	Jointing	1840.
ALLIANCE NORTH	Wheat	3 8	543.	0.25	0.24	0.22	0.25	0.26	Jointing	1840.
ALLIANCE NORTH	Wheat	3 15	482.	0.25	0.23	0.22	0.24	0.26	Leaf Elong.	1840.
ALLIANCE NORTH	Wheat	3 22	446.	0.24	0.23	0.21	0.24	0.25	Leaf Elong.	1840.
ALLIANCE NORTH	Wheat	3 29	415.	0.24	0.23	0.21	0.23	0.25	Leaf Elong.	1840.
CONCORD (NE)	Wheat	2 22	558.	0.21	0.30	0.33	0.30	0.28	Jointing	1840.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg		----Past----- --Future--					---Stage----	GDD @	
		mon/day		Accum	week	3days	day	3days			week
CONCORD (NE)	Wheat	3	1	558.	0.21	0.30	0.33	0.30	0.28	Jointing	1840.
CONCORD (NE)	Wheat	3	8	558.	0.21	0.30	0.33	0.30	0.28	Jointing	1840.
CONCORD (NE)	Wheat	3	15	499.	0.21	0.30	0.32	0.29	0.27	Leaf Elong.	1840.
CONCORD (NE)	Wheat	3	22	463.	0.20	0.29	0.31	0.29	0.27	Leaf Elong.	1840.
CONCORD (NE)	Wheat	3	29	449.	0.20	0.29	0.31	0.29	0.27	Leaf Elong.	1840.
ELGIN	Wheat	2	22	618.	0.24	0.27	0.28	0.28	0.27	Jointing	1840.
ELGIN	Wheat	3	1	618.	0.24	0.27	0.28	0.28	0.27	Jointing	1840.
ELGIN	Wheat	3	8	610.	0.24	0.27	0.28	0.28	0.27	Jointing	1840.
ELGIN	Wheat	3	15	542.	0.23	0.26	0.27	0.27	0.27	Jointing	1840.
ELGIN	Wheat	3	22	497.	0.22	0.26	0.27	0.26	0.26	Leaf Elong.	1840.
ELGIN	Wheat	3	29	483.	0.22	0.26	0.27	0.26	0.26	Leaf Elong.	1840.
CEDAR POINT	Wheat	2	22	709.	0.33	0.32	0.26	0.27	0.28	Boot	1840.
CEDAR POINT	Wheat	3	1	709.	0.33	0.32	0.26	0.27	0.28	Boot	1840.
CEDAR POINT	Wheat	3	8	685.	0.33	0.31	0.26	0.27	0.28	Boot	1840.
CEDAR POINT	Wheat	3	15	605.	0.32	0.30	0.25	0.26	0.27	Jointing	1840.
CEDAR POINT	Wheat	3	22	547.	0.31	0.30	0.24	0.25	0.27	Jointing	1840.
CEDAR POINT	Wheat	3	29	512.	0.31	0.29	0.24	0.25	0.26	Leaf Elong.	1840.
HOLDREGE	Wheat	2	22	738.	0.32	0.33	0.31	0.29	0.29	Boot	2000.
HOLDREGE	Wheat	3	1	735.	0.32	0.33	0.31	0.29	0.29	Boot	2000.
HOLDREGE	Wheat	3	8	723.	0.32	0.33	0.31	0.29	0.29	Boot	2000.
HOLDREGE	Wheat	3	15	638.	0.31	0.32	0.31	0.29	0.29	Jointing	2000.
HOLDREGE	Wheat	3	22	574.	0.30	0.31	0.30	0.28	0.28	Jointing	2000.
HOLDREGE	Wheat	3	29	543.	0.30	0.31	0.29	0.28	0.28	Jointing	2000.
MCCOOK	Wheat	2	22	774.	0.31	0.28	0.27	0.27	0.28	Boot	2000.
MCCOOK	Wheat	3	1	770.	0.31	0.28	0.27	0.27	0.28	Boot	2000.
MCCOOK	Wheat	3	8	743.	0.31	0.28	0.27	0.27	0.28	Boot	2000.
MCCOOK	Wheat	3	15	656.	0.30	0.27	0.27	0.27	0.28	Jointing	2000.
MCCOOK	Wheat	3	22	587.	0.30	0.27	0.26	0.26	0.27	Jointing	2000.
MCCOOK	Wheat	3	29	541.	0.29	0.26	0.25	0.26	0.27	Jointing	2000.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @ Matur	
			Accum GDD	week ----inches	3days per	day day-----	3days week			
MEAD	Wheat	2 22	700.	0.24	0.32	0.35	0.31	0.28	Boot	2000.
MEAD	Wheat	3 1	699.	0.24	0.32	0.35	0.31	0.28	Boot	2000.
MEAD	Wheat	3 8	697.	0.24	0.32	0.35	0.31	0.28	Boot	2000.
MEAD	Wheat	3 15	625.	0.24	0.32	0.34	0.31	0.28	Jointing	2000.
MEAD	Wheat	3 22	564.	0.23	0.31	0.34	0.30	0.27	Jointing	2000.
MEAD	Wheat	3 29	540.	0.23	0.30	0.33	0.30	0.27	Jointing	2000.
MONROE	Wheat	2 22	681.	0.25	0.30	0.32	0.30	0.28	Boot	1840.
MONROE	Wheat	3 1	680.	0.25	0.30	0.32	0.30	0.28	Boot	1840.
MONROE	Wheat	3 8	676.	0.25	0.30	0.32	0.30	0.28	Boot	1840.
MONROE	Wheat	3 15	600.	0.24	0.29	0.31	0.29	0.27	Jointing	1840.
MONROE	Wheat	3 22	543.	0.23	0.28	0.31	0.28	0.27	Jointing	1840.
MONROE	Wheat	3 29	526.	0.23	0.28	0.30	0.28	0.26	Jointing	1840.
DICKENS	Wheat	2 22	665.	0.27	0.23	0.21	0.23	0.25	Jointing	1840.
DICKENS	Wheat	3 1	665.	0.27	0.23	0.21	0.23	0.25	Jointing	1840.
DICKENS	Wheat	3 8	650.	0.27	0.23	0.21	0.23	0.25	Jointing	1840.
DICKENS	Wheat	3 15	575.	0.26	0.22	0.20	0.23	0.25	Jointing	1840.
DICKENS	Wheat	3 22	517.	0.25	0.21	0.20	0.22	0.24	Leaf Elong.	1840.
DICKENS	Wheat	3 29	484.	0.25	0.21	0.19	0.22	0.24	Leaf Elong.	1840.
ONEILL	Wheat	2 22	597.	0.22	0.24	0.21	0.22	0.24	Jointing	1840.
ONEILL	Wheat	3 1	597.	0.22	0.24	0.21	0.22	0.24	Jointing	1840.
ONEILL	Wheat	3 8	585.	0.22	0.24	0.21	0.22	0.23	Jointing	1840.
ONEILL	Wheat	3 15	516.	0.21	0.23	0.20	0.22	0.23	Leaf Elong.	1840.
ONEILL	Wheat	3 22	477.	0.21	0.23	0.20	0.21	0.22	Leaf Elong.	1840.
ONEILL	Wheat	3 29	458.	0.21	0.23	0.20	0.21	0.22	Leaf Elong.	1840.
SCOTTSBLUFF	Wheat	2 22	660.	0.29	0.25	0.25	0.27	0.28	Jointing	1840.
SCOTTSBLUFF	Wheat	3 1	660.	0.29	0.25	0.25	0.27	0.28	Jointing	1840.
SCOTTSBLUFF	Wheat	3 8	628.	0.29	0.25	0.25	0.27	0.27	Jointing	1840.
SCOTTSBLUFF	Wheat	3 15	562.	0.28	0.24	0.24	0.26	0.27	Jointing	1840.
SCOTTSBLUFF	Wheat	3 22	515.	0.28	0.24	0.24	0.25	0.26	Leaf Elong.	1840.
SCOTTSBLUFF	Wheat	3 29	474.	0.27	0.23	0.23	0.25	0.26	Leaf Elong.	1840.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week	3days	day	3days			week
SIDNEY	Wheat	2 22	615.	0.31	0.30	0.29	0.29	0.30	Jointing	1840.
SIDNEY	Wheat	3 1	615.	0.31	0.30	0.29	0.29	0.30	Jointing	1840.
SIDNEY	Wheat	3 8	590.	0.30	0.29	0.28	0.29	0.30	Jointing	1840.
SIDNEY	Wheat	3 15	523.	0.29	0.29	0.28	0.28	0.29	Jointing	1840.
SIDNEY	Wheat	3 22	479.	0.29	0.28	0.27	0.28	0.28	Leaf Elong.	1840.
SIDNEY	Wheat	3 29	442.	0.28	0.28	0.27	0.27	0.28	Leaf Elong.	1840.
WESTPOINT	Wheat	2 22	623.	0.23	0.33	0.35	0.31	0.28	Jointing	2000.
WESTPOINT	Wheat	3 1	623.	0.23	0.33	0.35	0.31	0.28	Jointing	2000.
WESTPOINT	Wheat	3 8	622.	0.23	0.33	0.35	0.31	0.28	Jointing	2000.
WESTPOINT	Wheat	3 15	556.	0.22	0.32	0.34	0.30	0.27	Jointing	2000.
WESTPOINT	Wheat	3 22	509.	0.22	0.31	0.33	0.30	0.27	Leaf Elong.	2000.
WESTPOINT	Wheat	3 29	492.	0.22	0.31	0.33	0.29	0.27	Leaf Elong.	2000.
CHAMPION	Wheat	2 22	742.	0.32	0.28	0.28	0.28	0.29	Boot	1840.
CHAMPION	Wheat	3 1	740.	0.32	0.28	0.28	0.28	0.29	Boot	1840.
CHAMPION	Wheat	3 8	697.	0.32	0.28	0.28	0.28	0.29	Boot	1840.
CHAMPION	Wheat	3 15	614.	0.31	0.27	0.28	0.28	0.29	Jointing	1840.
CHAMPION	Wheat	3 22	552.	0.30	0.26	0.27	0.27	0.28	Jointing	1840.
CHAMPION	Wheat	3 29	505.	0.29	0.26	0.26	0.27	0.28	Leaf Elong.	1840.
BEATRICE	Wheat	2 22	764.	0.31	0.39	0.41	0.35	0.31	Boot	2000.
BEATRICE	Wheat	3 1	757.	0.31	0.39	0.41	0.35	0.31	Boot	2000.
BEATRICE	Wheat	3 8	750.	0.31	0.39	0.41	0.35	0.31	Boot	2000.
BEATRICE	Wheat	3 15	676.	0.30	0.38	0.41	0.35	0.31	Boot	2000.
BEATRICE	Wheat	3 22	607.	0.29	0.37	0.40	0.34	0.31	Jointing	2000.
BEATRICE	Wheat	3 29	573.	0.29	0.37	0.39	0.34	0.30	Jointing	2000.
GRANDISLAND	Wheat	2 22	690.	0.29	0.31	0.32	0.30	0.28	Boot	2000.
GRANDISLAND	Wheat	3 1	689.	0.29	0.31	0.32	0.30	0.28	Boot	2000.
GRANDISLAND	Wheat	3 8	679.	0.29	0.31	0.32	0.30	0.28	Boot	2000.
GRANDISLAND	Wheat	3 15	602.	0.28	0.30	0.31	0.29	0.28	Jointing	2000.
GRANDISLAND	Wheat	3 22	545.	0.27	0.29	0.30	0.28	0.27	Jointing	2000.
GRANDISLAND	Wheat	3 29	522.	0.27	0.29	0.30	0.28	0.27	Jointing	2000.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days per			---Stage----
NEBRASKA CIT	Wheat	2 22	763.	0.30	0.41	0.44	0.36	0.30	Boot	2000.
NEBRASKA CIT	Wheat	3 1	758.	0.30	0.41	0.44	0.36	0.30	Boot	2000.
NEBRASKA CIT	Wheat	3 8	751.	0.30	0.41	0.44	0.36	0.30	Boot	2000.
NEBRASKA CIT	Wheat	3 15	680.	0.30	0.40	0.44	0.36	0.30	Boot	2000.
NEBRASKA CIT	Wheat	3 22	615.	0.29	0.39	0.43	0.35	0.29	Jointing	2000.
NEBRASKA CIT	Wheat	3 29	582.	0.28	0.39	0.43	0.35	0.29	Jointing	2000.
ORD	Wheat	2 22	650.	0.26	0.25	0.22	0.23	0.23	Jointing	1840.
ORD	Wheat	3 1	650.	0.26	0.25	0.22	0.23	0.23	Jointing	1840.
ORD	Wheat	3 8	635.	0.26	0.25	0.22	0.23	0.23	Jointing	1840.
ORD	Wheat	3 15	559.	0.25	0.24	0.22	0.22	0.23	Jointing	1840.
ORD	Wheat	3 22	506.	0.25	0.23	0.21	0.22	0.22	Leaf Elong.	1840.
ORD	Wheat	3 29	484.	0.24	0.23	0.21	0.21	0.22	Leaf Elong.	1840.
REDCLOUD	Wheat	2 22	763.	0.32	0.36	0.34	0.30	0.28	Boot	2000.
REDCLOUD	Wheat	3 1	760.	0.32	0.36	0.34	0.30	0.28	Boot	2000.
REDCLOUD	Wheat	3 8	751.	0.32	0.36	0.34	0.30	0.28	Boot	2000.
REDCLOUD	Wheat	3 15	666.	0.32	0.36	0.34	0.30	0.28	Jointing	2000.
REDCLOUD	Wheat	3 22	599.	0.31	0.35	0.33	0.30	0.28	Jointing	2000.
REDCLOUD	Wheat	3 29	569.	0.30	0.34	0.33	0.29	0.27	Jointing	2000.
YORK	Wheat	2 22	714.	0.27	0.30	0.34	0.30	0.27	Boot	2000.
YORK	Wheat	3 1	713.	0.27	0.30	0.34	0.30	0.27	Boot	2000.
YORK	Wheat	3 8	707.	0.27	0.30	0.34	0.30	0.27	Boot	2000.
YORK	Wheat	3 15	633.	0.26	0.30	0.33	0.30	0.27	Jointing	2000.
YORK	Wheat	3 22	570.	0.25	0.29	0.33	0.29	0.26	Jointing	2000.
YORK	Wheat	3 29	547.	0.25	0.29	0.32	0.29	0.26	Jointing	2000.
ALLIANCE NORTH	Wheat	2 22	566.	571.	0.00	185	4.3	Jointing	1840.	
ALLIANCE NORTH	Wheat	3 1	566.	553.	0.01	185	4.3	Jointing	1840.	
ALLIANCE NORTH	Wheat	3 8	543.	527.	0.01	186	4.2	Jointing	1840.	
ALLIANCE NORTH	Wheat	3 15	482.	493.	-0.01	188	3.9	Leaf Elong.	1840.	
ALLIANCE NORTH	Wheat	3 22	446.	452.	0.00	189	3.7	Leaf Elong.	1840.	
ALLIANCE NORTH	Wheat	3 29	415.	405.	0.01	190	3.6	Leaf Elong.	1840.	
CONCORD (NE)	Wheat	2 22	558.	528.	0.02	178	4.3	Jointing	1840.	
CONCORD (NE)	Wheat	3 1	558.	528.	0.02	178	4.3	Jointing	1840.	

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----			---Descrip--
CONCORD (NE)	Wheat	3 8	558.	522.	0.02	178	4.3	Jointing	1840.
CONCORD (NE)	Wheat	3 15	499.	505.	0.00	180	3.9	Leaf Elong.	1840.
CONCORD (NE)	Wheat	3 22	463.	476.	-0.01	181	3.8	Leaf Elong.	1840.
CONCORD (NE)	Wheat	3 29	449.	436.	0.01	182	3.8	Leaf Elong.	1840.
ELGIN	Wheat	2 22	618.	545.	0.04	178	4.6	Jointing	1840.
ELGIN	Wheat	3 1	618.	542.	0.04	178	4.6	Jointing	1840.
ELGIN	Wheat	3 8	610.	530.	0.04	178	4.6	Jointing	1840.
ELGIN	Wheat	3 15	542.	508.	0.02	180	4.2	Jointing	1840.
ELGIN	Wheat	3 22	497.	475.	0.01	182	3.9	Leaf Elong.	1840.
ELGIN	Wheat	3 29	483.	431.	0.03	182	3.9	Leaf Elong.	1840.
CEDAR POINT	Wheat	2 22	709.	597.	0.06	177	5.2	Boot	1840.
CEDAR POINT	Wheat	3 1	709.	579.	0.07	177	5.2	Boot	1840.
CEDAR POINT	Wheat	3 8	685.	552.	0.07	178	5.1	Boot	1840.
CEDAR POINT	Wheat	3 15	605.	518.	0.05	181	4.6	Jointing	1840.
CEDAR POINT	Wheat	3 22	547.	476.	0.04	183	4.2	Jointing	1840.
CEDAR POINT	Wheat	3 29	512.	426.	0.05	184	4.0	Leaf Elong.	1840.
HOLDREGE	Wheat	2 22	738.	640.	0.05	178	5.4	Boot	2000.
HOLDREGE	Wheat	3 1	735.	624.	0.06	178	5.4	Boot	2000.
HOLDREGE	Wheat	3 8	723.	600.	0.06	179	5.3	Boot	2000.
HOLDREGE	Wheat	3 15	638.	565.	0.04	182	4.8	Jointing	2000.
HOLDREGE	Wheat	3 22	574.	521.	0.03	184	4.4	Jointing	2000.
HOLDREGE	Wheat	3 29	543.	467.	0.04	185	4.2	Jointing	2000.
MCCOOK	Wheat	2 22	774.	639.	0.07	179	5.6	Boot	2000.
MCCOOK	Wheat	3 1	770.	618.	0.08	179	5.6	Boot	2000.
MCCOOK	Wheat	3 8	743.	589.	0.08	180	5.4	Boot	2000.
MCCOOK	Wheat	3 15	656.	551.	0.05	184	4.9	Jointing	2000.
MCCOOK	Wheat	3 22	587.	505.	0.04	186	4.4	Jointing	2000.
MCCOOK	Wheat	3 29	541.	451.	0.05	188	4.2	Jointing	2000.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week ----inches	3days day	3days per day			---Descrip--
MEAD	Wheat	2 22	700.	625.	0.04	177	5.2	Boot	2000.
MEAD	Wheat	3 1	699.	619.	0.04	177	5.2	Boot	2000.
MEAD	Wheat	3 8	697.	602.	0.05	177	5.1	Boot	2000.
MEAD	Wheat	3 15	625.	574.	0.03	179	4.7	Jointing	2000.
MEAD	Wheat	3 22	564.	534.	0.01	181	4.3	Jointing	2000.
MEAD	Wheat	3 29	540.	484.	0.03	182	4.1	Jointing	2000.
MONROE	Wheat	2 22	681.	590.	0.05	174	5.1	Boot	1840.
MONROE	Wheat	3 1	680.	585.	0.05	174	5.1	Boot	1840.
MONROE	Wheat	3 8	676.	570.	0.06	174	5.0	Boot	1840.
MONROE	Wheat	3 15	600.	543.	0.03	176	4.5	Jointing	1840.
MONROE	Wheat	3 22	543.	506.	0.02	178	4.2	Jointing	1840.
MONROE	Wheat	3 29	526.	458.	0.04	179	4.0	Jointing	1840.
DICKENS	Wheat	2 22	665.	619.	0.02	178	5.0	Jointing	1840.
DICKENS	Wheat	3 1	665.	600.	0.04	178	4.9	Jointing	1840.
DICKENS	Wheat	3 8	650.	573.	0.04	179	4.8	Jointing	1840.
DICKENS	Wheat	3 15	575.	537.	0.02	181	4.4	Jointing	1840.
DICKENS	Wheat	3 22	517.	493.	0.01	183	4.0	Leaf Elong.	1840.
DICKENS	Wheat	3 29	484.	441.	0.02	184	3.9	Leaf Elong.	1840.
ONEILL	Wheat	2 22	597.	551.	0.03	179	4.5	Jointing	1840.
ONEILL	Wheat	3 1	597.	545.	0.03	179	4.5	Jointing	1840.
ONEILL	Wheat	3 8	585.	531.	0.03	180	4.4	Jointing	1840.
ONEILL	Wheat	3 15	516.	506.	0.01	182	4.0	Leaf Elong.	1840.
ONEILL	Wheat	3 22	477.	472.	0.00	184	3.9	Leaf Elong.	1840.
ONEILL	Wheat	3 29	458.	427.	0.02	184	3.8	Leaf Elong.	1840.
SCOTTSBLUFF	Wheat	2 22	660.	571.	0.05	181	4.9	Jointing	1840.
SCOTTSBLUFF	Wheat	3 1	660.	552.	0.06	181	4.9	Jointing	1840.
SCOTTSBLUFF	Wheat	3 8	628.	526.	0.06	183	4.7	Jointing	1840.
SCOTTSBLUFF	Wheat	3 15	562.	492.	0.04	185	4.3	Jointing	1840.
SCOTTSBLUFF	Wheat	3 22	515.	452.	0.03	187	4.0	Leaf Elong.	1840.
SCOTTSBLUFF	Wheat	3 29	474.	404.	0.04	188	3.8	Leaf Elong.	1840.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----		--Future--		---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----			---Stage----
SIDNEY	Wheat	2 22	615.	586.	0.02	182	4.6	Jointing	1840.
SIDNEY	Wheat	3 1	615.	566.	0.03	182	4.6	Jointing	1840.
SIDNEY	Wheat	3 8	590.	539.	0.03	183	4.5	Jointing	1840.
SIDNEY	Wheat	3 15	523.	504.	0.01	186	4.0	Jointing	1840.
SIDNEY	Wheat	3 22	479.	462.	0.01	187	3.9	Leaf Elong.	1840.
SIDNEY	Wheat	3 29	442.	413.	0.02	189	3.7	Leaf Elong.	1840.
WESTPOINT	Wheat	2 22	623.	603.	0.01	180	4.7	Jointing	2000.
WESTPOINT	Wheat	3 1	623.	599.	0.01	180	4.7	Jointing	2000.
WESTPOINT	Wheat	3 8	622.	585.	0.02	180	4.7	Jointing	2000.
WESTPOINT	Wheat	3 15	556.	559.	0.00	182	4.2	Jointing	2000.
WESTPOINT	Wheat	3 22	509.	522.	-0.01	184	4.0	Leaf Elong.	2000.
WESTPOINT	Wheat	3 29	492.	473.	0.01	184	3.9	Leaf Elong.	2000.
CHAMPION	Wheat	2 22	742.	641.	0.06	175	5.5	Boot	1840.
CHAMPION	Wheat	3 1	740.	619.	0.07	175	5.5	Boot	1840.
CHAMPION	Wheat	3 8	697.	589.	0.06	177	5.2	Boot	1840.
CHAMPION	Wheat	3 15	614.	551.	0.03	180	4.6	Jointing	1840.
CHAMPION	Wheat	3 22	552.	505.	0.03	182	4.2	Jointing	1840.
CHAMPION	Wheat	3 29	505.	450.	0.03	184	4.0	Leaf Elong.	1840.
BEATRICE	Wheat	2 22	764.	679.	0.04	174	5.6	Boot	2000.
BEATRICE	Wheat	3 1	757.	667.	0.04	174	5.5	Boot	2000.
BEATRICE	Wheat	3 8	750.	644.	0.05	174	5.5	Boot	2000.
BEATRICE	Wheat	3 15	676.	611.	0.03	177	5.0	Boot	2000.
BEATRICE	Wheat	3 22	607.	566.	0.02	179	4.6	Jointing	2000.
BEATRICE	Wheat	3 29	573.	510.	0.03	180	4.4	Jointing	2000.

5/ 7/2014

GROWING DEGREE DAY SUMMARY

f=fraction of season ahead(+) or behind(-)
 GDD at Matur.=Accumulated GDDs at crop matur.

| -Emerg | ----GDD----- | -f- | Cal Day | ----Stage----- | -GDD @- |
 |--Station- | Crop/Pest | mon/da | -Actu- | -Norm| +/ - | -Mature | -No. | ---Descrip-- | -Matur- |

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----		--Future--		---Stage----	GDD @	
			Accum GDD	week ----inches	3days day	3days per day-----			week
GRANDISLAND	Wheat	2 22	690.	608.	0.04	180	5.1	Boot	2000.
GRANDISLAND	Wheat	3 1	689.	598.	0.05	180	5.1	Boot	2000.
GRANDISLAND	Wheat	3 8	679.	579.	0.05	180	5.0	Boot	2000.
GRANDISLAND	Wheat	3 15	602.	549.	0.03	183	4.5	Jointing	2000.
GRANDISLAND	Wheat	3 22	545.	509.	0.02	185	4.2	Jointing	2000.
GRANDISLAND	Wheat	3 29	522.	458.	0.03	185	4.0	Jointing	2000.
NEBRASKA CIT	Wheat	2 22	763.	665.	0.05	174	5.6	Boot	2000.
NEBRASKA CIT	Wheat	3 1	758.	654.	0.05	174	5.5	Boot	2000.
NEBRASKA CIT	Wheat	3 8	751.	633.	0.06	175	5.5	Boot	2000.
NEBRASKA CIT	Wheat	3 15	680.	601.	0.04	177	5.0	Boot	2000.
NEBRASKA CIT	Wheat	3 22	615.	557.	0.03	179	4.6	Jointing	2000.
NEBRASKA CIT	Wheat	3 29	582.	503.	0.04	180	4.4	Jointing	2000.
ORD	Wheat	2 22	650.	583.	0.04	176	4.9	Jointing	1840.
ORD	Wheat	3 1	650.	576.	0.04	176	4.9	Jointing	1840.
ORD	Wheat	3 8	635.	559.	0.04	177	4.8	Jointing	1840.
ORD	Wheat	3 15	559.	532.	0.01	179	4.3	Jointing	1840.
ORD	Wheat	3 22	506.	494.	0.01	181	4.0	Leaf Elong.	1840.
ORD	Wheat	3 29	484.	446.	0.02	182	3.9	Leaf Elong.	1840.
REDCLOUD	Wheat	2 22	763.	641.	0.06	176	5.6	Boot	2000.
REDCLOUD	Wheat	3 1	760.	628.	0.07	176	5.5	Boot	2000.
REDCLOUD	Wheat	3 8	751.	605.	0.07	177	5.5	Boot	2000.
REDCLOUD	Wheat	3 15	666.	572.	0.05	179	5.0	Jointing	2000.
REDCLOUD	Wheat	3 22	599.	529.	0.03	182	4.5	Jointing	2000.
REDCLOUD	Wheat	3 29	569.	476.	0.05	183	4.3	Jointing	2000.
YORK	Wheat	2 22	714.	638.	0.04	177	5.3	Boot	2000.
YORK	Wheat	3 1	713.	628.	0.04	177	5.2	Boot	2000.
YORK	Wheat	3 8	707.	607.	0.05	177	5.2	Boot	2000.
YORK	Wheat	3 15	633.	576.	0.03	180	4.7	Jointing	2000.
YORK	Wheat	3 22	570.	533.	0.02	182	4.3	Jointing	2000.
YORK	Wheat	3 29	547.	481.	0.03	183	4.2	Jointing	2000.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @
			Accum GDD	week ----inches	3days per	day day-----		
CONCORD (NE)	Soybean	5 8	0.00	0.00	0.00	0.00	Cotyledon	2360.
CONCORD (NE)	Soybean	5 15	0.00	0.00	0.00	0.00	Cotyledon	2360.
CONCORD (NE)	Soybean	5 22	0.00	0.00	0.00	0.00	Cotyledon	2360.
CONCORD (NE)	Soybean	5 25	0.00	0.00	0.00	0.00	Cotyledon	2360.
CONCORD (NE)	Soybean	6 5	0.00	0.00	0.00	0.00	Cotyledon	2360.
CONCORD (NE)	Soybean	6 12	0.00	0.00	0.00	0.00	Cotyledon	2360.
ELGIN	Soybean	5 8	0.00	0.00	0.00	0.00	Cotyledon	2360.
ELGIN	Soybean	5 15	0.00	0.00	0.00	0.00	Cotyledon	2360.
ELGIN	Soybean	5 22	0.00	0.00	0.00	0.00	Cotyledon	2360.
ELGIN	Soybean	5 25	0.00	0.00	0.00	0.00	Cotyledon	2360.
ELGIN	Soybean	6 5	0.00	0.00	0.00	0.00	Cotyledon	2360.
ELGIN	Soybean	6 12	0.00	0.00	0.00	0.00	Cotyledon	2360.
CEDAR POINT	Soybean	5 8	0.00	0.00	0.00	0.00	Cotyledon	2360.
CEDAR POINT	Soybean	5 15	0.00	0.00	0.00	0.00	Cotyledon	2360.
CEDAR POINT	Soybean	5 22	0.00	0.00	0.00	0.00	Cotyledon	2360.
CEDAR POINT	Soybean	5 25	0.00	0.00	0.00	0.00	Cotyledon	2360.
CEDAR POINT	Soybean	6 5	0.00	0.00	0.00	0.00	Cotyledon	2360.
CEDAR POINT	Soybean	6 12	0.00	0.00	0.00	0.00	Cotyledon	2360.
HOLDREGE	Soybean	5 8	0.00	0.00	0.00	0.00	Cotyledon	2450.
HOLDREGE	Soybean	5 15	0.00	0.00	0.00	0.00	Cotyledon	2450.
HOLDREGE	Soybean	5 22	0.00	0.00	0.00	0.00	Cotyledon	2450.
HOLDREGE	Soybean	5 25	0.00	0.00	0.00	0.00	Cotyledon	2450.
HOLDREGE	Soybean	6 5	0.00	0.00	0.00	0.00	Cotyledon	2450.
HOLDREGE	Soybean	6 12	0.00	0.00	0.00	0.00	Cotyledon	2450.
MCCOOK	Soybean	5 8	0.00	0.00	0.00	0.00	Cotyledon	2450.
MCCOOK	Soybean	5 15	0.00	0.00	0.00	0.00	Cotyledon	2450.
MCCOOK	Soybean	5 22	0.00	0.00	0.00	0.00	Cotyledon	2450.
MCCOOK	Soybean	5 25	0.00	0.00	0.00	0.00	Cotyledon	2450.
MCCOOK	Soybean	6 5	0.00	0.00	0.00	0.00	Cotyledon	2450.
MCCOOK	Soybean	6 12	0.00	0.00	0.00	0.00	Cotyledon	2450.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----			---Descrip--
MEAD	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
MEAD	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
MEAD	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
MEAD	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
MEAD	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
MEAD	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
MONROE	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
MONROE	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
MONROE	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
MONROE	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
MONROE	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
MONROE	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
DICKENS	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
DICKENS	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
DICKENS	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
DICKENS	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
DICKENS	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
DICKENS	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ONEILL	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
ONEILL	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ONEILL	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
ONEILL	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ONEILL	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ONEILL	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
WESTPOINT	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
WESTPOINT	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
WESTPOINT	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
WESTPOINT	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
WESTPOINT	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
WESTPOINT	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----			---Descrip--
CHAMPION	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
CHAMPION	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
CHAMPION	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
CHAMPION	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
CHAMPION	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
CHAMPION	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
BEATRICE	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
BEATRICE	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
BEATRICE	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
BEATRICE	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
BEATRICE	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
BEATRICE	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
GRANDISLAND	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
GRANDISLAND	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
GRANDISLAND	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
GRANDISLAND	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
GRANDISLAND	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
GRANDISLAND	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
NEBRASKA CIT	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
NEBRASKA CIT	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
NEBRASKA CIT	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2450.
NEBRASKA CIT	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
NEBRASKA CIT	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
NEBRASKA CIT	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
ORD	Soybean	5 8	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
ORD	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ORD	Soybean	5 22	0.00	0.00	0.00*****	0.00	0.00	Cotyledon	2360.
ORD	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ORD	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.
ORD	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	Cotyledon	2360.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	week 			---Descrip--
REDCLOUD	Soybean	5 8	0.00	0.00	0.00	*****	0.00	0.00	Cotyledon	2450.
REDCLOUD	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
REDCLOUD	Soybean	5 22	0.00	0.00	0.00	*****	0.00	0.00	Cotyledon	2450.
REDCLOUD	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
REDCLOUD	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
REDCLOUD	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
YORK	Soybean	5 8	0.00	0.00	0.00	*****	0.00	0.00	Cotyledon	2450.
YORK	Soybean	5 15	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
YORK	Soybean	5 22	0.00	0.00	0.00	*****	0.00	0.00	Cotyledon	2450.
YORK	Soybean	5 25	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
YORK	Soybean	6 5	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
YORK	Soybean	6 12	0.00	0.00	0.00	0.00	0.00	0.00	Cotyledon	2450.
CONCORD (NE)	Soybean	5 8	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CONCORD (NE)	Soybean	5 15	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CONCORD (NE)	Soybean	5 22	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CONCORD (NE)	Soybean	5 25	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CONCORD (NE)	Soybean	6 5	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CONCORD (NE)	Soybean	6 12	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
ELGIN	Soybean	5 8	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
ELGIN	Soybean	5 15	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
ELGIN	Soybean	5 22	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
ELGIN	Soybean	5 25	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
ELGIN	Soybean	6 5	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
ELGIN	Soybean	6 12	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CEDAR POINT	Soybean	5 8	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CEDAR POINT	Soybean	5 15	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CEDAR POINT	Soybean	5 22	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CEDAR POINT	Soybean	5 25	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CEDAR POINT	Soybean	6 5	0.00	0.00	0.00	****	1.00		Cotyledon	2360.
CEDAR POINT	Soybean	6 12	0.00	0.00	0.00	****	1.00		Cotyledon	2360.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week	3days	day			3days
HOLDREGE	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.
HOLDREGE	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.
HOLDREGE	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.
HOLDREGE	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.
HOLDREGE	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.
HOLDREGE	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.
MCCOOK	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.
MCCOOK	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.
MCCOOK	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.
MCCOOK	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.
MCCOOK	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.
MCCOOK	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.
MEAD	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.
MEAD	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.
MEAD	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.
MEAD	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.
MEAD	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.
MEAD	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.
MONROE	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2360.
MONROE	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2360.
MONROE	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2360.
MONROE	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2360.
MONROE	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2360.
MONROE	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2360.
DICKENS	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2360.
DICKENS	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2360.
DICKENS	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2360.
DICKENS	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2360.
DICKENS	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2360.
DICKENS	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2360.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----			---Descrip--
ONEILL	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2360.
ONEILL	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2360.
ONEILL	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2360.
ONEILL	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2360.
ONEILL	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2360.
ONEILL	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2360.
WESTPOINT	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2360.
WESTPOINT	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2360.
WESTPOINT	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2360.
WESTPOINT	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2360.
WESTPOINT	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2360.
WESTPOINT	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2360.
CHAMPION	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2360.
CHAMPION	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2360.
CHAMPION	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2360.
CHAMPION	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2360.
CHAMPION	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2360.
CHAMPION	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2360.
BEATRICE	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.
BEATRICE	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.
BEATRICE	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.
BEATRICE	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.
BEATRICE	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.
BEATRICE	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.
GRANDISLAND	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.
GRANDISLAND	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.
GRANDISLAND	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.
GRANDISLAND	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.
GRANDISLAND	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.
GRANDISLAND	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days day-----			week ----
NEBRASKA CIT	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.	
NEBRASKA CIT	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.	
NEBRASKA CIT	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.	
NEBRASKA CIT	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.	
NEBRASKA CIT	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.	
NEBRASKA CIT	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.	
ORD	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2360.	
ORD	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2360.	
ORD	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2360.	
ORD	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2360.	
ORD	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2360.	
ORD	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2360.	
REDCLOUD	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.	
REDCLOUD	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.	
REDCLOUD	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.	
REDCLOUD	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.	
REDCLOUD	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.	
REDCLOUD	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.	
YORK	Soybean	5 8	0.	0.	0.00	****	1.0	Cotyledon	2450.	
YORK	Soybean	5 15	0.	0.	0.00	****	1.0	Cotyledon	2450.	
YORK	Soybean	5 22	0.	0.	0.00	****	1.0	Cotyledon	2450.	
YORK	Soybean	5 25	0.	0.	0.00	****	1.0	Cotyledon	2450.	
YORK	Soybean	6 5	0.	0.	0.00	****	1.0	Cotyledon	2450.	
YORK	Soybean	6 12	0.	0.	0.00	****	1.0	Cotyledon	2450.	
CEDAR POINT	Sorghum	5 15	0.	0.00	0.00	*****	0.00	0.00	Emergence	2200.
CEDAR POINT	Sorghum	5 22	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
CEDAR POINT	Sorghum	5 25	0.	0.00	0.00	*****	0.00	0.00	Emergence	2369.
CEDAR POINT	Sorghum	6 5	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
CEDAR POINT	Sorghum	6 12	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
CEDAR POINT	Sorghum	6 19	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2369.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days day-----			week ----
HOLDREGE	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2200.
HOLDREGE	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
HOLDREGE	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2369.
HOLDREGE	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
HOLDREGE	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
HOLDREGE	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
MCCOOK	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2369.
MCCOOK	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
MCCOOK	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2369.
MCCOOK	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
MCCOOK	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
MCCOOK	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
DICKENS	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2200.
DICKENS	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
DICKENS	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2200.
DICKENS	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
DICKENS	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
DICKENS	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
CHAMPION	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2200.
CHAMPION	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
CHAMPION	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2200.
CHAMPION	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
CHAMPION	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
CHAMPION	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2200.
BEATRICE	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2369.
BEATRICE	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
BEATRICE	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	0.00	0.00	Emergence	2369.
BEATRICE	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
BEATRICE	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.
BEATRICE	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	0.00	0.00	Emergence	2369.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--				---Stage----	GDD @
			Accum GDD	week ----inches	3days per	day day-----		
GRANDISLAND	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	Emergence	2200.
GRANDISLAND	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	Emergence	2200.
GRANDISLAND	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	Emergence	2200.
GRANDISLAND	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	Emergence	2200.
GRANDISLAND	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	Emergence	2200.
GRANDISLAND	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	Emergence	2200.
NEBRASKA CIT	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	Emergence	2369.
NEBRASKA CIT	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	Emergence	2369.
NEBRASKA CIT	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	Emergence	2369.
NEBRASKA CIT	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	Emergence	2369.
NEBRASKA CIT	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	Emergence	2369.
NEBRASKA CIT	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	Emergence	2369.
REDCLOUD	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	Emergence	2369.
REDCLOUD	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	Emergence	2369.
REDCLOUD	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	Emergence	2369.
REDCLOUD	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	Emergence	2369.
REDCLOUD	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	Emergence	2369.
REDCLOUD	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	Emergence	2369.
YORK	Sorghum	5 15	0. 0.00	0.00*****	0.00	0.00	Emergence	2200.
YORK	Sorghum	5 22	0. 0.00	0.00	0.00	0.00	Emergence	2200.
YORK	Sorghum	5 25	0. 0.00	0.00*****	0.00	0.00	Emergence	2200.
YORK	Sorghum	6 5	0. 0.00	0.00	0.00	0.00	Emergence	2200.
YORK	Sorghum	6 12	0. 0.00	0.00	0.00	0.00	Emergence	2200.
YORK	Sorghum	6 19	0. 0.00	0.00	0.00	0.00	Emergence	2200.
CEDAR POINT	Sorghum	5 15	0. 0.	0.00 ****	1.0	Emergence	2200.	
CEDAR POINT	Sorghum	5 22	0. 0.	0.00 ****	1.0	Emergence	2369.	
CEDAR POINT	Sorghum	5 25	0. 0.	0.00 ****	1.0	Emergence	2369.	
CEDAR POINT	Sorghum	6 5	0. 0.	0.00 ****	1.0	Emergence	2369.	
CEDAR POINT	Sorghum	6 12	0. 0.	0.00 ****	1.0	Emergence	2369.	
CEDAR POINT	Sorghum	6 19	0. 0.	0.00 ****	1.0	Emergence	2369.	

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @
			Accum GDD	week ----inches	3days per	day day-----	week 		
HOLDREGE	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2200.
HOLDREGE	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2369.
HOLDREGE	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2369.
HOLDREGE	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2369.
HOLDREGE	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2369.
HOLDREGE	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2369.
MCCOOK	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2369.
MCCOOK	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2369.
MCCOOK	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2369.
MCCOOK	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2369.
MCCOOK	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2369.
MCCOOK	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2369.
DICKENS	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2200.
DICKENS	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2200.
DICKENS	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2200.
DICKENS	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2200.
DICKENS	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2200.
DICKENS	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2200.
CHAMPION	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2200.
CHAMPION	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2200.
CHAMPION	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2200.
CHAMPION	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2200.
CHAMPION	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2200.
CHAMPION	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2200.
BEATRICE	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2369.
BEATRICE	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2369.
BEATRICE	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2369.
BEATRICE	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2369.
BEATRICE	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2369.
BEATRICE	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2369.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @
			Accum GDD	week	3days	day	3days		
GRANDISLAND	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2200.
GRANDISLAND	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2200.
GRANDISLAND	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2200.
GRANDISLAND	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2200.
GRANDISLAND	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2200.
GRANDISLAND	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2200.
NEBRASKA CIT	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2369.
NEBRASKA CIT	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2369.
NEBRASKA CIT	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2369.
NEBRASKA CIT	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2369.
NEBRASKA CIT	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2369.
NEBRASKA CIT	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2369.
REDCLOUD	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2369.
REDCLOUD	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2369.
REDCLOUD	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2369.
REDCLOUD	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2369.
REDCLOUD	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2369.
REDCLOUD	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2369.
YORK	Sorghum	5 15	0.	0.	0.00	****	1.0	Emergence	2200.
YORK	Sorghum	5 22	0.	0.	0.00	****	1.0	Emergence	2200.
YORK	Sorghum	5 25	0.	0.	0.00	****	1.0	Emergence	2200.
YORK	Sorghum	6 5	0.	0.	0.00	****	1.0	Emergence	2200.
YORK	Sorghum	6 12	0.	0.	0.00	****	1.0	Emergence	2200.
YORK	Sorghum	6 19	0.	0.	0.00	****	1.0	Emergence	2200.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days ----			---Descrip--
ALLIANCE NORTH	Dry beans	6 4	0.	0.00	0.00	*****	0.00	0.00	Emerg-10%	2023.
ALLIANCE NORTH	Dry beans	6 13	0.	0.00	0.00	0.00	0.00	0.00	Emerg-10%	2023.
ALLIANCE NORTH	Dry beans	6 23	0.	0.00	0.00	*****	0.00	0.00	Emerg-10%	2023.
ALLIANCE NORTH	Potato	6 1	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
ALLIANCE NORTH	Potato	6 15	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
ALLIANCE NORTH	Sugar beet	4 28	60.	0.03	0.02	0.02	0.03	0.03	Emergence	2700.
ALLIANCE NORTH	Sugar beet	5 8	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2700.
ALLIANCE NORTH	Sugar beet	5 18	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2700.
ALLIANCE NORTH	Sunflower	5 28	0.	0.00	0.00	*****	0.00	0.00	Early veg.	2200.
ALLIANCE NORTH	Sunflower	6 8	0.	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.
CONCORD (NE)	Alfalfa	3 15	499.	0.18	0.26	0.28	0.26	0.24	Maturity	4500.
CONCORD (NE)	Alfalfa	4 1	413.	0.17	0.24	0.27	0.25	0.23	Maturity	4500.
CONCORD (NE)	Alfalfa	4 15	289.	0.12	0.17	0.20	0.19	0.19	Stage 3	4500.
CONCORD (NE)	Grass	3 15	499.	0.12	0.18	0.20	0.18	0.17	Regrowth	4500.
CONCORD (NE)	Grass	4 1	413.	0.10	0.15	0.16	0.15	0.15	Regrowth	4500.
CONCORD (NE)	Grass	4 15	289.	0.07	0.11	0.12	0.11	0.12	Regrowth	4500.
ELGIN	Alfalfa	3 15	542.	0.20	0.23	0.24	0.24	0.24	Maturity	4500.
ELGIN	Alfalfa	4 1	446.	0.19	0.22	0.23	0.22	0.23	Maturity	4500.
ELGIN	Alfalfa	4 15	316.	0.13	0.17	0.18	0.18	0.19	Stage 4	4500.
ELGIN	Grass	3 15	542.	0.14	0.17	0.18	0.18	0.17	Regrowth	4500.
ELGIN	Grass	4 1	446.	0.12	0.14	0.15	0.15	0.16	Regrowth	4500.
ELGIN	Grass	4 15	316.	0.08	0.10	0.11	0.11	0.12	Regrowth	4500.
CEDAR POINT	Dry beans	5 29	0.	0.00	0.00	*****	0.00	0.00	Emerg-10%	2023.
CEDAR POINT	Dry beans	6 7	0.	0.00	0.00	0.00	0.00	0.00	Emerg-10%	2023.
CEDAR POINT	Dry beans	6 11	0.	0.00	0.00	*****	0.00	0.00	Emerg-10%	2023.
CEDAR POINT	Sugar bee	4 21	153.	0.04	0.04	0.03	0.03	0.03	Emergence	2700.
CEDAR POINT	Sugar bee	5 1	67.	0.03	0.03	0.03	0.03	0.03	Emergence	2700.
CEDAR POINT	Sugar bee	5 18	0.	0.00	0.00	0.00	0.00	0.00	Emergence	2700.
CEDAR POINT	Sunflower	5 22	0.	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.
CEDAR POINT	Sunflower	6 2	0.	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days per			week -----
MCCOOK	Sunflower	5 15	0.	0.00	0.00	*****	0.00	0.00	Early veg.	2200.
MCCOOK	Sunflower	5 25	0.	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.
MCCOOK	Sunflower	6 5	0.	0.00	0.00	*****	0.00	0.00	Early veg.	2200.
MCCOOK	Sunflower	6 15	0.	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.
MEAD	Alfalfa	3 15	625.	0.21	0.28	0.31	0.27	0.25	Maturity	4500.
MEAD	Alfalfa	4 1	496.	0.20	0.26	0.29	0.26	0.24	Maturity	4500.
MEAD	Alfalfa	4 15	355.	0.15	0.21	0.24	0.22	0.21	Stage 4	4500.
MEAD	Grass	3 15	625.	0.15	0.21	0.22	0.20	0.18	Nr Full Cov	4500.
MEAD	Grass	4 1	496.	0.13	0.18	0.20	0.18	0.17	Regrowth	4500.
MEAD	Grass	4 15	355.	0.09	0.13	0.15	0.13	0.13	Regrowth	4500.
MONROE	Alfalfa	3 15	600.	0.21	0.26	0.28	0.26	0.24	Maturity	4500.
MONROE	Alfalfa	4 1	486.	0.20	0.24	0.26	0.24	0.23	Maturity	4500.
MONROE	Alfalfa	4 15	349.	0.15	0.20	0.22	0.21	0.21	Stage 4	4500.
MONROE	Grass	3 15	600.	0.15	0.19	0.21	0.19	0.18	Nr Full Cov	4500.
MONROE	Grass	4 1	486.	0.13	0.16	0.18	0.17	0.16	Regrowth	4500.
MONROE	Grass	4 15	349.	0.09	0.12	0.13	0.13	0.13	Regrowth	4500.
DICKENS	Alfalfa	3 15	575.	0.23	0.19	0.18	0.20	0.22	Maturity	4500.
DICKENS	Alfalfa	4 1	445.	0.21	0.18	0.17	0.19	0.21	Maturity	4500.
DICKENS	Alfalfa	4 15	313.	0.15	0.13	0.13	0.15	0.18	Stage 4	4500.
DICKENS	Grass	3 15	575.	0.17	0.14	0.13	0.15	0.16	Nr Full Cov	4500.
DICKENS	Grass	4 1	445.	0.13	0.11	0.11	0.12	0.15	Regrowth	4500.
DICKENS	Grass	4 15	313.	0.09	0.08	0.08	0.09	0.11	Regrowth	4500.
ONEILL	Potato	4 15	227.	0.03	0.03	0.03	0.03	0.04	Emergence	3655.
ONEILL	Potato	4 25	113.	0.03	0.03	0.03	0.03	0.03	Emergence	3655.
ONEILL	Potato	5 5	25.	0.01	0.02	0.02	0.03	0.03	Emergence	3655.
ONEILL	Potato	5 15	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
ONEILL	Potato	5 25	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
ONEILL	Alfalfa	3 15	516.	0.19	0.20	0.18	0.19	0.20	Maturity	4500.
ONEILL	Alfalfa	4 1	421.	0.17	0.19	0.17	0.18	0.19	Maturity	4500.
ONEILL	Alfalfa	4 15	296.	0.12	0.14	0.13	0.14	0.16	Stage 3	4500.
ONEILL	Grass	4 1	421.	0.10	0.12	0.11	0.12	0.13	Regrowth	4500.
ONEILL	Grass	4 15	296.	0.07	0.09	0.08	0.09	0.10	Regrowth	4500.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--						---Stage----	GDD @
			Accum GDD	week	3days	day	3days	week		
SCOTTSBLUFF	Dry beans	6 1	0.00	0.00	0.00*****	0.00	0.00	Emerg-10%	2023.	
SCOTTSBLUFF	Dry beans	6 10	0.00	0.00	0.00	0.00	0.00	Emerg-10%	2023.	
SCOTTSBLUFF	Dry beans	6 20	0.00	0.00	0.00*****	0.00	0.00	Emerg-10%	2023.	
SCOTTSBLUFF	Sugar bee	4 25	103.03	0.03	0.03	0.03	0.03	Emergence	2700.	
SCOTTSBLUFF	Sugar bee	5 5	23.01	0.02	0.02	0.03	0.03	Emergence	2700.	
SCOTTSBLUFF	Sugar bee	5 15	0.00	0.00	0.00	0.00	0.00	Emergence	2700.	
SCOTTSBLUFF	Sunflower	5 25	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.	
SCOTTSBLUFF	Sunflower	6 5	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.	
SIDNEY	Dry beans	6 3	0.00	0.00	0.00*****	0.00	0.00	Emerg-10%	2023.	
SIDNEY	Dry beans	6 12	0.00	0.00	0.00	0.00	0.00	Emerg-10%	2023.	
SIDNEY	Dry beans	6 22	0.00	0.00	0.00*****	0.00	0.00	Emerg-10%	2023.	
SIDNEY	Sugar bee	4 26	83.03	0.03	0.03	0.03	0.03	Emergence	2700.	
SIDNEY	Sugar bee	5 5	26.01	0.02	0.03	0.03	0.03	Emergence	2700.	
SIDNEY	Corn	5 16	0.00	0.00	0.00	0.00	0.00	2leaves 0.5	2700.	
SIDNEY	Sunflower	5 27	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.	
SIDNEY	Sunflower	6 7	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.	
WESTPOINT	Alfalfa	3 15	556.20	0.28	0.30	0.27	0.24	Maturity	4500.	
WESTPOINT	Alfalfa	4 1	454.19	0.27	0.29	0.25	0.23	Maturity	4500.	
WESTPOINT	Alfalfa	4 15	326.14	0.21	0.23	0.21	0.20	Stage 4	4500.	
WESTPOINT	Grass	3 15	556.14	0.21	0.23	0.20	0.18	Regrowth	4500.	
WESTPOINT	Grass	4 1	454.12	0.17	0.19	0.17	0.16	Regrowth	4500.	
WESTPOINT	Grass	4 15	326.08	0.13	0.14	0.13	0.13	Regrowth	4500.	
CHAMPION	Sunflower	5 15	0.00	0.00	0.00*****	0.00	0.00	Early veg.	2200.	
CHAMPION	Sunflower	5 25	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.	
CHAMPION	Sunflower	6 5	0.00	0.00	0.00*****	0.00	0.00	Early veg.	2200.	
CHAMPION	Sunflower	6 15	0.00	0.00	0.00	0.00	0.00	Early veg.	2200.	

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	day day-----	3days day-----			---Descrip--
BEATRICE	Alfalfa	3 15	676.	0.27	0.34	0.37	0.32	0.28	Maturity	4500.
BEATRICE	Alfalfa	4 1	528.	0.25	0.32	0.34	0.29	0.26	Maturity	4500.
BEATRICE	Alfalfa	4 15	379.	0.19	0.27	0.30	0.26	0.24	Stage 4	4500.
BEATRICE	Grass	3 15	676.	0.20	0.25	0.26	0.22	0.20	Nr Full Cov	4500.
BEATRICE	Grass	4 1	528.	0.17	0.22	0.25	0.21	0.19	Regrowth	4500.
BEATRICE	Grass	4 15	379.	0.12	0.16	0.18	0.16	0.16	Regrowth	4500.
GRANDISLAND	Potato	4 15	272.	0.04	0.05	0.05	0.05	0.05	Early Veg	3655.
GRANDISLAND	Potato	4 25	139.	0.04	0.04	0.04	0.04	0.04	Emergence	3655.
GRANDISLAND	Potato	5 5	33.	0.01	0.02	0.04	0.03	0.03	Emergence	3655.
GRANDISLAND	Potato	5 15	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
GRANDISLAND	Potato	5 25	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
GRANDISLAND	Alfalfa	3 15	602.	0.25	0.27	0.28	0.26	0.25	Maturity	4500.
GRANDISLAND	Alfalfa	4 1	479.	0.23	0.25	0.26	0.24	0.23	Maturity	4500.
GRANDISLAND	Alfalfa	4 15	338.	0.17	0.20	0.21	0.20	0.21	Stage 4	4500.
GRANDISLAND	Grass	4 1	479.	0.14	0.17	0.18	0.17	0.17	Regrowth	4500.
GRANDISLAND	Grass	4 15	338.	0.10	0.12	0.13	0.12	0.13	Regrowth	4500.
NEBRASKA CIT	Alfalfa	3 15	680.	0.26	0.36	0.40	0.32	0.27	Maturity	4500.
NEBRASKA CIT	Alfalfa	4 1	534.	0.24	0.34	0.37	0.30	0.25	Maturity	4500.
NEBRASKA CIT	Alfalfa	4 15	378.	0.19	0.28	0.32	0.27	0.23	Stage 4	4500.
NEBRASKA CIT	Grass	3 15	680.	0.19	0.26	0.28	0.23	0.19	Nr Full Cov	4500.
NEBRASKA CIT	Grass	4 1	534.	0.17	0.24	0.27	0.22	0.18	Regrowth	4500.
NEBRASKA CIT	Grass	4 15	378.	0.12	0.17	0.20	0.16	0.15	Regrowth	4500.
ORD	Potato	4 15	248.	0.04	0.04	0.03	0.04	0.04	Early Veg	3655.
ORD	Potato	4 25	126.	0.03	0.03	0.03	0.03	0.03	Emergence	3655.
ORD	Potato	5 5	28.	0.01	0.02	0.03	0.03	0.03	Emergence	3655.
ORD	Potato	5 15	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
ORD	Potato	5 25	0.	0.00	0.00	0.00	0.00	0.00	Emergence	3655.
ORD	Alfalfa	3 15	559.	0.22	0.21	0.19	0.20	0.20	Maturity	4500.
ORD	Alfalfa	4 1	447.	0.20	0.20	0.18	0.18	0.19	Maturity	4500.
ORD	Alfalfa	4 15	310.	0.14	0.15	0.14	0.15	0.17	Stage 4	4500.
ORD	Grass	4 1	447.	0.13	0.13	0.12	0.12	0.13	Regrowth	4500.
ORD	Grass	4 15	310.	0.09	0.09	0.08	0.09	0.10	Regrowth	4500.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past----- --Future--					---Stage----	GDD @	
			Accum GDD	week	3days	day	3days			week
REDCLOUD	Alfalfa	3 15	666.	0.28	0.32	0.30	0.27	0.25	Maturity	4500.
REDCLOUD	Alfalfa	4 1	525.	0.26	0.30	0.28	0.25	0.24	Maturity	4500.
REDCLOUD	Alfalfa	4 15	371.	0.20	0.25	0.25	0.22	0.22	Stage 4	4500.
REDCLOUD	Grass	3 15	666.	0.21	0.23	0.22	0.19	0.18	Nr Full Cov	4500.
REDCLOUD	Grass	4 1	525.	0.17	0.21	0.20	0.18	0.17	Regrowth	4500.
REDCLOUD	Grass	4 15	371.	0.12	0.15	0.15	0.14	0.14	Regrowth	4500.
YORK	Alfalfa	3 15	633.	0.23	0.26	0.30	0.27	0.24	Maturity	4500.
YORK	Alfalfa	4 1	504.	0.22	0.25	0.28	0.25	0.23	Maturity	4500.
YORK	Alfalfa	4 15	362.	0.17	0.20	0.24	0.22	0.21	Stage 4	4500.
YORK	Grass	3 15	633.	0.17	0.19	0.22	0.19	0.17	Nr Full Cov	4500.
YORK	Grass	4 1	504.	0.14	0.17	0.20	0.18	0.16	Regrowth	4500.
YORK	Grass	4 15	362.	0.10	0.12	0.15	0.13	0.13	Regrowth	4500.
ALLIANCE NORTH	Dry beans	6 4	0.	0.	0.00	****	1.0	Emerg-10%	2023.	
ALLIANCE NORTH	Dry beans	6 13	0.	0.	0.00	****	1.0	Emerg-10%	2023.	
ALLIANCE NORTH	Dry beans	6 23	0.	0.	0.00	****	1.0	Emerg-10%	2023.	
ALLIANCE NORTH	Potato	6 1	0.	0.	0.00	****	1.0	Emergence	3655.	
ALLIANCE NORTH	Potato	6 15	0.	0.	0.00	****	1.0	Emergence	3655.	
ALLIANCE NORTH	Sugar beet	4 28	60.	71.	0.00	289	1.2	Emergence	2700.	
ALLIANCE NORTH	Sugar beet	5 8	0.	0.	0.00	****	1.0	Emergence	2700.	
ALLIANCE NORTH	Sugar beet	5 18	0.	0.	0.00	****	1.0	Emergence	2700.	
ALLIANCE NORTH	Sunflower	5 28	0.	0.	0.00	****	1.0	Early veg.	2200.	
ALLIANCE NORTH	Sunflower	6 8	0.	0.	0.00	****	1.0	Early veg.	2200.	
CONCORD (NE)	Alfalfa	3 15	499.	505.	0.00	280	5.3	Maturity	4500.	
CONCORD (NE)	Alfalfa	4 1	413.	415.	0.00	287	5.0	Maturity	4500.	
CONCORD (NE)	Alfalfa	4 15	289.	290.	0.00	298	3.8	Stage 3	4500.	
CONCORD (NE)	Grass	3 15	499.	505.	0.00	280	2.9	Regrowth	4500.	
CONCORD (NE)	Grass	4 1	413.	415.	0.00	287	2.7	Regrowth	4500.	
CONCORD (NE)	Grass	4 15	289.	290.	0.00	298	2.4	Regrowth	4500.	

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----		--Future--		---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	3days day-----			---Descrip--
ELGIN	Alfalfa	3 15	542.	508.	0.01	284	5.5	Maturity	4500.
ELGIN	Alfalfa	4 1	446.	409.	0.01	292	5.2	Maturity	4500.
ELGIN	Alfalfa	4 15	316.	281.	0.01	306	4.2	Stage 4	4500.
ELGIN	Grass	3 15	542.	508.	0.01	284	3.0	Regrowth	4500.
ELGIN	Grass	4 1	446.	409.	0.01	292	2.7	Regrowth	4500.
ELGIN	Grass	4 15	316.	281.	0.01	306	2.4	Regrowth	4500.
CEDAR POINT	Dry beans	5 29	0.	0.	0.00	****	1.0	Emerg-10%	2023.
CEDAR POINT	Dry beans	6 7	0.	0.	0.00	****	1.0	Emerg-10%	2023.
CEDAR POINT	Dry beans	6 11	0.	0.	0.00	****	1.0	Emerg-10%	2023.
CEDAR POINT	Sugar beet	4 21	153.	127.	0.01	266	1.6	Emergence	2700.
CEDAR POINT	Sugar beet	5 1	67.	53.	0.01	274	1.3	Emergence	2700.
CEDAR POINT	Sugar beet	5 18	0.	0.	0.00	****	1.0	Emergence	2700.
CEDAR POINT	Sunflower	5 22	0.	0.	0.00	****	1.0	Early veg.	2200.
CEDAR POINT	Sunflower	6 2	0.	0.	0.00	****	1.0	Early veg.	2200.
MCCOOK	Sunflower	5 15	0.	0.	0.00	****	1.0	Early veg.	2200.
MCCOOK	Sunflower	5 25	0.	0.	0.00	****	1.0	Early veg.	2200.
MCCOOK	Sunflower	6 5	0.	0.	0.00	****	1.0	Early veg.	2200.
MCCOOK	Sunflower	6 15	0.	0.	0.00	****	1.0	Early veg.	2200.
MEAD	Alfalfa	3 15	625.	574.	0.01	266	5.7	Maturity	4500.
MEAD	Alfalfa	4 1	496.	459.	0.01	272	5.3	Maturity	4500.
MEAD	Alfalfa	4 15	355.	319.	0.01	280	4.5	Stage 4	4500.
MEAD	Grass	3 15	625.	574.	0.01	266	3.0	Nr Full Cov	4500.
MEAD	Grass	4 1	496.	459.	0.01	272	2.8	Regrowth	4500.
MEAD	Grass	4 15	355.	319.	0.01	280	2.5	Regrowth	4500.
MONROE	Alfalfa	3 15	600.	543.	0.01	272	5.7	Maturity	4500.
MONROE	Alfalfa	4 1	486.	435.	0.01	278	5.3	Maturity	4500.
MONROE	Alfalfa	4 15	349.	300.	0.01	288	4.5	Stage 4	4500.
MONROE	Grass	3 15	600.	543.	0.01	272	3.0	Nr Full Cov	4500.
MONROE	Grass	4 1	486.	435.	0.01	278	2.8	Regrowth	4500.
MONROE	Grass	4 15	349.	300.	0.01	288	2.5	Regrowth	4500.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----			--Future--		---Stage----	GDD @
			Accum GDD	week ----inches	3days per	day day-----	3days day-----		
DICKENS	Alfalfa	3 15	575.	537.	0.01	290	5.6	Maturity	4500.
DICKENS	Alfalfa	4 1	445.	416.	0.01	301	5.2	Maturity	4500.
DICKENS	Alfalfa	4 15	313.	281.	0.01	319	4.1	Stage 4	4500.
DICKENS	Grass	3 15	575.	537.	0.01	290	3.0	Nr Full Cov	4500.
DICKENS	Grass	4 1	445.	416.	0.01	301	2.7	Regrowth	4500.
DICKENS	Grass	4 15	313.	281.	0.01	319	2.4	Regrowth	4500.
ONEILL	Potato	4 15	227.	218.	0.00	279	2.0	Emergence	3655.
ONEILL	Potato	4 25	113.	129.	0.00	290	1.5	Emergence	3655.
ONEILL	Potato	5 5	25.	23.	0.00	301	1.1	Emergence	3655.
ONEILL	Potato	5 15	0.	0.	0.00	****	1.0	Emergence	3655.
ONEILL	Potato	5 25	0.	0.	0.00	****	1.0	Emergence	3655.
ONEILL	Alfalfa	3 15	516.	506.	0.00	292	5.4	Maturity	4500.
ONEILL	Alfalfa	4 1	421.	404.	0.00	301	5.1	Maturity	4500.
ONEILL	Alfalfa	4 15	296.	277.	0.00	320	3.9	Stage 3	4500.
ONEILL	Grass	4 1	421.	404.	0.00	301	2.7	Regrowth	4500.
ONEILL	Grass	4 15	296.	277.	0.00	320	2.4	Regrowth	4500.
SCOTTSBLUFF	Dry beans	6 1	0.	0.	0.00	****	1.0	Emerg-10%	2023.
SCOTTSBLUFF	Dry beans	6 10	0.	0.	0.00	****	1.0	Emerg-10%	2023.
SCOTTSBLUFF	Dry beans	6 20	0.	0.	0.00	****	1.0	Emerg-10%	2023.
SCOTTSBLUFF	Sugar beet	4 25	103.	92.	0.00	282	1.4	Emergence	2700.
SCOTTSBLUFF	Sugar beet	5 5	23.	17.	0.00	294	1.1	Emergence	2700.
SCOTTSBLUFF	Sugar beet	5 15	0.	0.	0.00	****	1.0	Emergence	2700.
SCOTTSBLUFF	Sunflower	5 25	0.	0.	0.00	****	1.0	Early veg.	2200.
SCOTTSBLUFF	Sunflower	6 5	0.	0.	0.00	****	1.0	Early veg.	2200.
SIDNEY	Dry beans	6 3	0.	0.	0.00	****	1.0	Emerg-10%	2023.
SIDNEY	Dry beans	6 12	0.	0.	0.00	****	1.0	Emerg-10%	2023.
SIDNEY	Dry beans	6 22	0.	0.	0.00	****	1.0	Emerg-10%	2023.
SIDNEY	Sugar beet	4 26	83.	88.	0.00	280	1.3	Emergence	2700.
SIDNEY	Sugar beet	5 5	26.	17.	0.00	287	1.1	Emergence	2700.
SIDNEY	Corn	5 16	0.	0.	0.00	****	1.0	2leaves 0.5	2700.
SIDNEY	Sunflower	5 27	0.	0.	0.00	****	1.0	Early veg.	2200.
SIDNEY	Sunflower	6 7	0.	0.	0.00	****	1.0	Early veg.	2200.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----		--Future--		---Stage----	GDD @	
			Accum GDD	week ----inches	3days per	3days day-----			---Descrip--
WESTPOINT	Alfalfa	3 15	556.	559.	0.00	270	5.5	Maturity	4500.
WESTPOINT	Alfalfa	4 1	454.	449.	0.00	276	5.2	Maturity	4500.
WESTPOINT	Alfalfa	4 15	326.	312.	0.00	284	4.3	Stage 4	4500.
WESTPOINT	Grass	3 15	556.	559.	0.00	270	3.0	Regrowth	4500.
WESTPOINT	Grass	4 1	454.	449.	0.00	276	2.8	Regrowth	4500.
WESTPOINT	Grass	4 15	326.	312.	0.00	284	2.5	Regrowth	4500.
CHAMPION	Sunflower	5 15	0.	0.	0.00	****	1.0	Early veg.	2200.
CHAMPION	Sunflower	5 25	0.	0.	0.00	****	1.0	Early veg.	2200.
CHAMPION	Sunflower	6 5	0.	0.	0.00	****	1.0	Early veg.	2200.
CHAMPION	Sunflower	6 15	0.	0.	0.00	****	1.0	Early veg.	2200.
BEATRICE	Alfalfa	3 15	676.	611.	0.01	260	5.9	Maturity	4500.
BEATRICE	Alfalfa	4 1	528.	483.	0.01	267	5.4	Maturity	4500.
BEATRICE	Alfalfa	4 15	379.	334.	0.01	274	4.8	Stage 4	4500.
BEATRICE	Grass	3 15	676.	611.	0.01	260	3.1	Nr Full Cov	4500.
BEATRICE	Grass	4 1	528.	483.	0.01	267	2.9	Regrowth	4500.
BEATRICE	Grass	4 15	379.	334.	0.01	274	2.6	Regrowth	4500.
GRANDISLAND	Potato	4 15	272.	229.	0.01	264	2.2	Early Veg	3655.
GRANDISLAND	Potato	4 25	139.	134.	0.00	273	1.6	Emergence	3655.
GRANDISLAND	Potato	5 5	33.	24.	0.00	282	1.1	Emergence	3655.
GRANDISLAND	Potato	5 15	0.	0.	0.00	****	1.0	Emergence	3655.
GRANDISLAND	Potato	5 25	0.	0.	0.00	****	1.0	Emergence	3655.
GRANDISLAND	Alfalfa	3 15	602.	549.	0.01	274	5.7	Maturity	4500.
GRANDISLAND	Alfalfa	4 1	479.	434.	0.01	282	5.3	Maturity	4500.
GRANDISLAND	Alfalfa	4 15	338.	296.	0.01	293	4.4	Stage 4	4500.
GRANDISLAND	Grass	4 1	479.	434.	0.01	282	2.8	Regrowth	4500.
GRANDISLAND	Grass	4 15	338.	296.	0.01	293	2.5	Regrowth	4500.
NEBRASKA CIT	Alfalfa	3 15	680.	601.	0.02	261	5.9	Maturity	4500.
NEBRASKA CIT	Alfalfa	4 1	534.	477.	0.01	267	5.4	Maturity	4500.
NEBRASKA CIT	Alfalfa	4 15	378.	330.	0.01	275	4.8	Stage 4	4500.
NEBRASKA CIT	Grass	3 15	680.	601.	0.02	261	3.1	Nr Full Cov	4500.
NEBRASKA CIT	Grass	4 1	534.	477.	0.01	267	2.9	Regrowth	4500.
NEBRASKA CIT	Grass	4 15	378.	330.	0.01	275	2.6	Regrowth	4500.

Crop Water Use Summary

Ending on 5/6/2014

Information organized by 1) crop (corn, wheat, soybean, sorghum, grass & alfalfa, sunflower, dry bean, potato, and sugarbeet) and by 2) district.

Station	-Crop	Emerg mon/day	----Past-----			--Future--		---Stage----	GDD @
			Accum GDD	week inches	3days per	day	3days day		
ORD	Potato	4 15	248.	225.	0.01	269	2.1	Early Veg	3655.
ORD	Potato	4 25	126.	133.	0.00	278	1.6	Emergence	3655.
ORD	Potato	5 5	28.	24.	0.00	287	1.1	Emergence	3655.
ORD	Potato	5 15	0.	0.	0.00	****	1.0	Emergence	3655.
ORD	Potato	5 25	0.	0.	0.00	****	1.0	Emergence	3655.
ORD	Alfalfa	3 15	559.	532.	0.01	280	5.5	Maturity	4500.
ORD	Alfalfa	4 1	447.	422.	0.01	288	5.2	Maturity	4500.
ORD	Alfalfa	4 15	310.	289.	0.00	301	4.1	Stage 4	4500.
ORD	Grass	4 1	447.	422.	0.01	288	2.7	Regrowth	4500.
ORD	Grass	4 15	310.	289.	0.00	301	2.4	Regrowth	4500.
REDCLOUD	Alfalfa	3 15	666.	572.	0.02	267	5.9	Maturity	4500.
REDCLOUD	Alfalfa	4 1	525.	450.	0.02	275	5.4	Maturity	4500.
REDCLOUD	Alfalfa	4 15	371.	307.	0.01	284	4.7	Stage 4	4500.
REDCLOUD	Grass	3 15	666.	572.	0.02	267	3.1	Nr Full Cov	4500.
REDCLOUD	Grass	4 1	525.	450.	0.02	275	2.9	Regrowth	4500.
REDCLOUD	Grass	4 15	371.	307.	0.01	284	2.6	Regrowth	4500.
YORK	Alfalfa	3 15	633.	576.	0.01	267	5.8	Maturity	4500.
YORK	Alfalfa	4 1	504.	455.	0.01	274	5.3	Maturity	4500.
YORK	Alfalfa	4 15	362.	312.	0.01	282	4.6	Stage 4	4500.
YORK	Grass	3 15	633.	576.	0.01	267	3.0	Nr Full Cov	4500.
YORK	Grass	4 1	504.	455.	0.01	274	2.9	Regrowth	4500.
YORK	Grass	4 15	362.	312.	0.01	282	2.5	Regrowth	4500.